



Dual Release Handles



Locking Wheels

**A. FERNO 24-MAXX MORTUARY COT**

A unique, independent leg design and wider 25" surface, allowing transport of bodies weighing up to 1,000 lbs., while reducing back injury risk. Easy maneuverability in tight areas or stairs. Independent leg design allows front legs to fold, while the rear user's end legs remain engaged, carrying the cots weight. 5 height adjustments. Dual release handles for legs allow for 1-person loading/unloading. Powdercoated frame. Available with larger Dia. wheels and/or side lift handles to provide additional lifting points for heavier individuals or rough terrain. Shipped via truck.

- 460235** Standard 24-MAXX with Wheel Locks
- 460325** 24-MAXX with Side Lift Handle (specify load, middle or operator)
- 460465** 24-MAXX with Side Arms (can only go in 1 position)

<b>Length</b> .....	72"
<b>Width</b> .....	25.5"
<b>Maximum Height</b> .....	39"
<b>Minimum Height</b> .....	14"
<b>Weight</b> .....	75 lbs.
<b>Maximum Vehicle Loading Height</b> .....	26"
<b>Minimum Vehicle Loading Height</b> .....	24"
<b>Maximum Load</b> .....	1000 lbs.



**NOT SHOWN**  
**POUCHES & COT COVERS**  
 For Ferno 24 -MAXX & MiniMAXX  
**460405** 1st Call Cot Cover  
**149293** Pouch 335-Maxx

**B. FERNO 24-MINIMAXX COT**

The 24-MiniMAXX has all of the features of the 24-MAXX in a narrow package. It has true independent legs with multi-level adjustment, 6" wheels with locks, dual hand controls, and a durable gloss-black powdercoated finish. 1000 lb. load capacity. Narrow bed-surface for increased maneuverability allows two cots to be placed side by side in the rear of most vehicles. Available with side lift handles to provide additional lifting points. It comes with a 1" mattress and 2 - 7', 2-pc. black restraints, and is compatible with most Ferno covers and pouches.

- 460547** Standard 24-MiniMAXX with Wheel Locks (1 position only)
- 460635** 24-MiniMAXX with Side Lift Handle (specify load, middle or operator)
- 460687** 24-MiniMAXX with Side Arms (1 position only)

<b>Length</b> .....	77"
<b>Width</b> .....	22.75"
<b>Maximum Height</b> .....	39"
<b>Minimum Height</b> .....	14"
<b>Weight</b> .....	73 lbs.
<b>Maximum Vehicle Loading Height</b> .....	26"
<b>Minimum Vehicle Loading Height</b> .....	24"
<b>Maximum Load</b> .....	1000 lbs.



Leg Release Handles



**A. MULTI-LEVEL ONE MAN COT**

Ferno® Model 24 allows one person to perform removals and transfers; two non-swivel wheels on load-end, two swivel wheels on operator-end. Leg-release handles on operator-end and load-end make it possible to raise and lower the cot without assuming the full weight of the cot and body; multi-level feature allows the body to be easily transferred onto the cot from many different levels. The cot is wide enough to accommodate a portable stretcher, body scoop or body board. Cot comes complete with 1" standard burgundy mattress 460958 and 5'L, two-piece, burgundy, quick-release restraint straps 15083, page 87. Ferno Model 24-H has all the same features above and is designed for vehicles with higher loading heights. Models 24 and 24-H are available with side arms and/or locking operator-end wheels. Shipped via truck.

- 460451** Standard Model 24
- 460966** Model 24 with Side Arms
- 460974** Model 24 with Locking Operator-End Wheels
- 462327** Model 24 with Locking Operator-End Wheels & Side Arms
- 460982** Standard Model 24-H
- 462335** Model 24-H with Side Arms
- 462343** Model 24-H with Locking Operator-End Wheels
- 462351** Model 24-H with Locking Operator-End Wheels & Side Arms

**Model 24      Model 24-H**

<b>Length</b> .....	77"	77"
<b>Width</b> .....	20.5"	20.5"
<b>Maximum Height</b> .....	32.25"	33.75"
<b>Minimum Height</b> .....	9.25"	9.25"
<b>Weight</b> .....	54 lbs.	54 lbs.
<b>Maximum Loading Height</b> ..	26"	31"
<b>Minimum Loading Height</b> ..	23"	27"
<b>Maximum Load</b> .....	400 lbs.	400 lbs



Leg Release Handles      Locking Wheels      Folding Foot End



**B. MULTI-LEVEL COT**

Ferno® Model 27-1 has several useful features not found on other cot models. All four wheels swivel; load-end wheels feature locks for stability. Leg-release handles on operator-end and load-end make it possible to raise and lower the cot without assuming the full weight of the cot and body; multi-level feature allows the body to be easily transferred onto the cot from many different levels. To allow maneuvering in confined spaces and around tight corners, the head-end is tapered and the foot-end folds to shorten total length by 15". The cot is wide enough to accommodate a portable stretcher, body scoop or body board. Cot comes complete with 1" contoured burgundy mattress and two 5'L, two-piece, burgundy, quick-release restraint straps 15083, page 87; also available with side arms. Shipped via truck.

- 462179** Standard Model 27-1
- 462187** Model 27-1 with Side Arms



<b>Length</b> .....	78.75"
<b>Width</b> .....	22"
<b>Maximum Height</b> .....	33.5"
<b>Minimum Height</b> .....	9"
<b>Weight</b> .....	59 lbs.
<b>Maximum Vehicle Loading Height</b> .....	26"
<b>Minimum Vehicle Loading Height</b> .....	23"
<b>Maximum Load</b> .....	400 lbs.



Down Position



Leg Release Levers & Slide Action Leg Lock

**A. TWO-LEVEL COT**

Ferno® Model 23 has an extra-long wheel base for secure maneuverability; two non-swivel wheels on load-end, two swivels wheels on operator-end. Leg-release levers for collapsing legs and slide-action leg lock for securing legs when cot is folded for use as a two-wheeled stretcher. The cot is wide enough to accommodate a portable stretcher, body scoop or body board. Cot comes complete with 1" standard burgundy mattress 46095-8 and two 5'L, two-piece, burgundy, quick-release restraint straps 15083, see below; also available with side arms. Shipped via truck.

- 61204** Standard Model 23
- 462319** Model 23 With Side Arms

<b>Length</b> .....	75.75"
<b>Width</b> .....	20"
<b>Maximum Height</b> .....	32"
<b>Minimum Height</b> .....	8.5"
<b>Weight</b> .....	48 lbs.
<b>Maximum Vehicle Loading Height</b> .....	26"
<b>Minimum Vehicle Loading Height</b> .....	24"
<b>Maximum Load</b> .....	400 lbs.